6.0 Bibliography

Allan D., Johengen T., Rutherford E. (2002). *Nutrient Loading and its Relevance to the Great Lakes Basin.*

EPA (November 1999). United States Environmental Protection Agency. *Protocol for Developing Nutrient TMDLs*.

EPA (December 2000). United States Environmental Protection Agency. *Ambient Water Quality Criteria Recommendations, Information Supporting the Development of State and Tribal Nutrient Criteria, Rivers and Streams in Nutrient Ecoregion VII.* United States Environmental Protection Agency, Office of Water 4304, EPA 822-B-00-018. http://www.epa.gov/waterscience/criteria/nutrient/ecoregions/rivers/index.html.

EPA (December 2001). United States Environmental Protection Agency. *Fact Sheet, Ecoregional Nutrient Criteria*. United States Environmental Protection Agency, Office of Water 4304, EPA 822-F-01-010.

http://www.epa.gov/waterscience/criteria/nutrient/9docfs.pdf

Evans B., Lehning D, Corradini K., Sheeder S. (June 2003 (Revised February 2006)). Penn State Institutes of the Environment. *Predict Version 1.0: Users Guide for the Pollutant Reduction Impact Comparison Tool*.

Greenland International Consulting LTD (January 2006). *Assimilative Capacity Study:* CANWETTM Modeling Project Lake Simcoe and Nottawasaga River Basins.

Great Lakes 2000 Clean up Fund and NVCA (1999). Stream Restoration Monitoring Framework. Available at: http://www.nvca.on.ca/monitoring/stream/index.htm

Griffiths (1993). BioMap: concepts, protocols and sampling procedures for the southwestern region of Ontario. OMOEE Report SWR_1. 30pp.

Harned D. (June 2004). Nutrient Mass Balance and Trends, Mobile River Basin, Alabama, Georgia, and Mississippi.

Jones, C., Sommers, K.M., Craig, B., and Reynoldson, T.B. (2004). *Ontario Benthos Biomonitoring Network Protocol Manual. Version 1.0.* http://obbn.eman-rese.ca

Lin J. (September 2004). Wetlands Regulatory Assistance Program. Review of Published Export Coefficient and Event Mean Concentration (EMC) Data.

LSEMS (2001). Lake Simcoe Environmental Management Strategy. Lake Simcoe Environmental Management Strategy Implementation Technical Report No. Imp.A.6: Phosphorus Loading to Lake Simcoe, 1990-1998: Highlights and Preliminary Interpretation in Historical and Ecosystem Contexts.

LSEMS (2003). Lake Simcoe Environmental Management Strategy. *State of the Lake Simcoe Watershed*.

LSEMS (2005). Lake Simcoe Environmental Management Strategy Technical Committee. Lake Simcoe Environmental Management Strategy Implementation Phase III Technical Report No. Imp.A.6: Annual Water Balances, Total Phosphorus Budgets and Total Nitrogen, Total Chloride Loads for Lake Simcoe.

LSRCA (1982). South Lake Simcoe Conservation Authority. *Watershed Inventory*. Ontario, Canada.

LSRCA (1995). Lake Simcoe Region Conservation Authority. *Master Watershed Plans: Lovers Creek and Hewitts Creek*. Ontario, Canada.

LSRCA (2000a). Lake Simcoe Region Conservation Authority. *State of the Watershed Report: Black River Subwatershed.* Ontario, Canada.

LSRCA (2000b). Lake Simcoe Region Conservation Authority. *State of the Watershed Report: East Holland River Subwatershed*. Ontario, Canada.

LSRCA (August 2001). Lake Simcoe Region Conservation Authority. *The Relative Effects of Major Sources of Phosphorus Loading on Phosphorus Concentration in Cook's Bay of Lake Simcoe*. Prepared by K.H. Nicholls. Ontario, Canada.

MOE (July 1994). Ministry of the Environment and Energy. Water Management Policies, Guidelines, Provincial Water Quality Objectives of the Ministry of Environment and Energy. Ontario, Canada.

Naiman R., Bilby R. (1998). River Ecology and Management: Lessons from the Pacific Coastal Ecoregion.

Novotny and Olem (1994). Water Quality Prevention, Identification, and Management of Diffuse Pollution. Center of Watershed Protection, Olem Associated, Inc. Herndon, Virginia.

NVCA (1994). Nottawasaga Valley Conservation Authority. *Watershed Management Plan.*< http://www.nvca.on.ca/watershed/>

NVCA (February 1999). Nottawasaga Valley Conservation Authority. 1998 Watershed Health Monitoring System.

NVCA (2006). Nottawasaga Valley Conservation Authority. *Nottawasaga River Summaries*. Document compiled by Fred Dobbs and Dave Featherstone.

Data Sources:

LSRCA (2005a). *Lake Simcoe Waterflow Network*. Created with Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 9.1.0.722, Ontario, Canada.

LSRCA (2005b). LSRCA Committed Growth Scenario Land Use. LSRCA Ecological Land Classification, reclassified for use in CANWET™ model, converted to a grid, with future developed areas from MMAH incorporated. Raster Digital Data. Created with Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 9.1.0.722. Ontario, Canada.

LSRCA (2005c). LSRCA Current Land Use. LSRCA Ecological Land Classification, reclassified for use in CANWETTM model, converted to a grid. Raster Digital Data. Created with Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 9.1.0.722. Ontario, Canada.

LSRCA (2005d). NVCA Committed Growth Scenario Land Use. NVCA landuse with future developed areas from MMAH incorporated. Raster Digital Data. Created with Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 9.1.0.722. Ontario, Canada.

LSRCA (2005e). NVCA Current Land Use. NVCA Ecological Land Classification, reclassified for use in CANWETTM model, converted to a grid. Raster Digital Data. Created with Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 9.1.0.722. Ontario, Canada.

LSRCA (2006). 2002 to 2005 Aquatic Sampling. Created with Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 9.1.0.722, Ontario, Canada.

MOE (2005). Ministry of the Environment. Permit to Take Water. Created with Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 9.1.0.722, Ontario, Canada.

NVCA (2002). Nottawasaga Valley Conservation Authority. Stream Health Classification. Created with Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 9.1.0.722, Ontario, Canada.

NVCA (2005). Nottawasaga Valley Conservation Authority. Monitoring Stations. Created with Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 9.1.0.722, Ontario, Canada.

OGS (2003). Ontario Geological Survey, Ministry of Northern Development and Mines Seamless Quaternary Geology Map of Southern Ontario. Data compiled from published maps and reports of the Ontario Geological Survey and the Geological Survey of Canada, field investigations, bedrock geological maps, aerial photographic interpretations, aggregate resources inventory papers (ARIPs) as well as a digital elevation model (DEM)

produced by the Ministry of Natural Resources, Ontario and its derivatives. Created with Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 9.1.0.722. Queen's Printer for Ontario, Canada

OMAF (June 2004). Ontario Ministry of Agriculture and Food. *Soils Ontario Packaged Product (Soils ON)*. Created with Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 9.1.0.722, Ontario, Canada.